





We believe in changing the status quo. We believe in thinking differently. We believe in innovation. It is the same purpose which inspires us to get better every day and serve this world with the right notion, making it a better place to live.

Product Description

Quaint Decor


Let your decor sing the song of the angels with our exquisite wool felt panels. With its unique combination of flexibility and style, our acoustic wall panels are rendered at your disposal to elevate your space. With elegant colours of felt panels, let your walls do the talking!

Corner of Paradise

Our acoustic wall products are shaped to perfection. Some of the finest wall fibers are used to manufacture our products that help uplift any corner of any room. The texture of the felt panels will linger on in your mind, working as a constant reminder of its soft feel.


Sound of Peace

With its sound-absorbing properties, our wall acoustics work as the ideal solution for reducing any sound that can pose a hindrance.



Standard Module

Technical Data sheet

Content	100% PET (60% recycled)
Material	Dimensions: 1050 MM X 2400 MM Thickness: 12 MM (+-10%), Weight: 7.2 KG/panel Thickness: 24 MM (+-10%), Weight: 14 KG/panel
Acoustic Performace	ASTM C423-09a and ASTM 423-90 12'mm - 0.50 nrc 25'mm - 0.75 nrc
VOC	Test Method – GCMS/ MS Measurement Unit – ug/kg Test Result - Contains no formaldehyde, 100% VOC free, no chemical irritants, and free of harmful substance.
Colour Fastness	ASATCC TM 16.3 – 14 (60 AFU) Color Change Class – 3.0
Fire Test	Colorline – ASTM E84 Smoke Index: 288 Flame spread Index: Class 1 or A Felt - ASTM E84 Smoke Index: 65 Flame spread Index: Class 1 or A
Sustainability	
Origin	India



Senses Akustik Pvt Ltd

info@sensesakustik.com

www.sensesakustik.com

